



-17/17

=

=

-

:

I	3
II	5
III	6
IV	10
V		75.
76.		
. 77.	11
VI	14
VII	O	24
VIII	28
IX		47
X	48

K

oj -17/17

J

29,
: www.gsp.co.rs

39. 5. (124/12,14/15 68/15)

29,

:

-17/17

(: 50531300 -)

1.	50531300 -	"ATLAS COPCO"
2.	50531300 -	"TRUDBENIK ENERGOINVEST"
3.	50531300 -	SCK 76-13 "ALUP"
4.	50531300 -	"TASK-1022G3-H"
5.	50531300 -	"WORTHINGTON"

(. 75.)

(. 76.)

() -

17 14.03.2017.
29, 11000

www.gsp.co.rs.

a

(

.),

5 ()

011/366-4087

: 29, 11000

e-mail milena.martinovic@gsp.co.rs,

" -17/17",

07 15
7-16

3 ()

« :
- () - 28.03.2017. 09,00 , -
17/17». (e-
mail). ()
: , 28.03.2017. 08,30
29,11000
29,11000 28.03.2017. 09,00 , ,
/ / .
/ (, ...)
/ , ,
- (, , ,).
10
40
:

II

1. : " "
: , 29,
: www.gsp.co.rs : SR100049398
: 07022662
: 4931

2. - , 39.

3. :

4.

5.

6. : milena.martinovic@gsp.co.rs,

7. _____
_____ KOM _____
_____ . 17 _____
14.03.2017. _____

III

1: "ATLAS COPCO"				
1	24827	BT5J "ATLAS COPCO"	OJ	1982
2	36772	TIP GA 55C-PA13 "ATLAS COPCO"		2004
2: "TRUDBENIK ENERGOINVEST"				
1	30981	NF2010 "TRUDBENIK ENERGOINVEST"	OJ	1996
2	26173	"RUDBENIK ENERGOINVEST" Tip KV-12		1982
3: SCK 76-13 "ALUP"				
1	33734	SCK 76-13 "ALUP"		2003
2	33631	SCK 76-13 "ALUP"		2003
4: "TASK-1022G3-H"				
1	33319	"TASK-1022G3-H"		2003
2	33320	"TASK-1022G3-H"		2003
5: "WORTHINGTON"				
1	33203	"WORTHINGTON" RLR 40CX6		2003
2	33204	"WORTHINGTON" RLR 40CX6		2003

:(

).

- 1 . / / .

1: "ATLAS COPCO"		
.1	: BT5J "ATLAS COPCO"	
1		
2	2"	
3		
4		
5		
6		
7		
8		
9	(, , ...)	
10		
11	(, , ,)	
12	()	
13	()	
14		
15	-	-(2)
16	-	-(2)
17	(6)	
18	(6)	
19		
20		

.2	: GA 55C-PA13 "ATLAS COPCO"	
1		
2		
3		
4		
5		
6		
7	()	

2: "TRUDBENIK ENERGOINVEST"

.1	: 1 NF 2010 „ RUDBENIK ENERGOINVEST"	
1		
2		
3		
4	-	
5		
6		
7		
8		
9		
10		

.2	: „ RUDBENIK ENERGOINVEST" Tip KV-12	
1		
2		
3		set
4		lit
5		

3: SCK 76-13 "ALUP"

.1	: SCK 76-13 "ALUP"	
1		
2		
3		
4		
5		
6		
7	()	
8		
9		

4: "TASK-1022G3-H"

.1	: „TASK-1022G3-H“	
1		
2		set
3		
4		
5		
6		
7		
8		
9		
10		

5: "WORTHINGTON"

.1	: "WORTHINGTON" RLR 40CX6	
1		
2		
3		
4		
5		

6

1-5,

12

48

30

a

29,

-mail _____

- : 064/880-2107
 - 064/880-2177
 - 064/880-2210
 - : 2,
 - : 14,
 - 2221
- 29, - ,
- 1, - ,
- 1, - ,
- :064/880-2223
- : 064/880-

()



•

•

•

•

1-5: 10

•

•

•

.),

(

•

•

•

),

(

•

•

•

•

•

(

)

IV

: _____

: _____

: _____

(a) _____ () ;

[Empty rectangular box]

:

().

-17/17

:

:

(28.03.2017.)

3

V 76. 75.
 . 77.

(. 75.
)
 75.

1. / /

:

2. / /

:

-

e,

:

-) (

-)

- () (

-).

:

3. / /

:

(/ /

)

:

•
 1-3). (.

•

1-3: (75. 76. - 7)

) (. 76. 76.

1.

) - () () (2014., 2015. 2016.).

;

2.

3.

) 2 () (. 1-3).

•

K

oj -17/17

•

1-3: (75. 76. - 7)

4. _____ ;

5

()

(28.03.2017.)

3

()

5%

(6)

).

3

3

),

(

. 18.2.

VI

1.

1.1.

(. 75. 76.),

1.2.

5

75. 76.

1.3.

. 79.

3.

1.4.

1.5.

1.6.

1.7.

. 77.

1.8.

(1.

50%,

1.9.

1.10.

75. (1, 2 4).

1.11.

77.

1. (1, 2 4).

1.12.

75. 1. 10 % 5.

1.13.

1.14.

1.15.

()

(

75. 1. 1., 2. 4.

76.

75. 1. 5.

1.16.

1)

2)

1.17.

1.18.

1.19.

1.20.

2.

2.1.

2.2.

2.3.

63.

2.

5 ()

29, 11000
-17/17»,

+381 11 366 4087 «
e-mail milena.martinovic@gsp.co.rs,

3 ()

2.4.

2.5.

2.6.

3.

3.1.

3.2.

() ,

(7)

3.3.

()

(15)

3.4.

4.

4.1.

4.2.

4.3.

4.4.

(. 4.3),

87.

5.

K

oj -17/17

4.5.

17/17".

-17/17".

4.6.

5.

5.1.

5.2.

5

6.

6.1.

7.

7.1.

7.2.

7.3.

8.

8.1.

. 93.

1.

()

8.2.

8.3.

8.4.

8.5.

9.

9.1.

9.2.

92.

1.

9.3.

92.

3.

9.2

5

9.4.

10.

10.1.

(

) -

(2

) -

I.

2

),

(

II.

(

),

11.

11.1.

- (1)
- (2)
- (3)
- (4)
- (5)

11.2.

11.3.

- (6)
- (7)
- (8)
- (9)
- (10)

_____ (

_____)

11.4.

11.5.

11.6.

12.

12.1.

12.2.

15.

13.

13.1.

(:).

13.2.

13.3.

63. 2.

13.4.

13.5.

od

40

13.6.

149. 3. 4.

13.7.

13.8.

K

- , oj -17/17

13.9.

36. 1.

3)

13.10.

13.11.

11.9.

13.12.

151.

13.13.

151. 1.,

13.14.

151. 2.

13.15.

156.

: 840-30678845-06

60.000,00 ;

: 153

253;

: -17/17;

-17/17;

13.16.

<http://www.kjn.gov.rs/ci/uputstvo-o-uplati-republicke-administrativne-takse.html>.

14.

14.1.

5%

a

. 86.

3.

14.2.

14.3.

15.

15.1.

15.2.

« ».

()

15.3.

15.4.

15.5.

15.6.

15.7.

15.8.

15.9.

15.10.

16.

16.1.

16.2.

16.3.

16.4.

17.

17.1.

17.2.

17.3.

17.4.

17.5.

18.

18.1.

18.2.

18.3.

18.4.

18.5.

()

(), a

(4 6

).

/
/

(

...)

/

(

).

- . 36. 1. . 3)
- . 39. 6.

112. 2.

18.2.,

K

oj -17/17

18.6.

. 18.2.,

19.

19.1.

19.2.

19.3.

19.4.

5%

3

- (- /)

).

19.5.

20.

20.1.

21.

21.1.

82.

1)

. 23. 25.

2)

3)

4)

21.2.

1.

1)

2)

3)

4)

5)

6)

7)

21.3.

21.2.

2. 1)

(

)

22.

22.1.

(,),

/

29, 11000

+381 11 366-4087.

23.
23.1.

5%

5.000.000,00

10.000.000,00

23.2.

23.3.

23.4.

24.
24.1.

24.2.

24.3.

24.4.

1-5:

10

24.5.

24.6.

24.7.

()

24.8.

24.9.

24.10.

(

),

24.11.

24.12.

24.13.

24.14.

24.15.

)

(

24.16.

()

10%

30

10 ()

10%

30

10

()

()

(

),

10 %

7

24.17.

()

5%

30

a

30

a

a

5 %

7

VII

O

1-9

1)

/ / /

1

1.

1

(

).

1

(),

1

1 -

),

, ()

1

1)

2)

2)

2

(

)

(

..)

)

-a.

)

45

45

45

)

48

30

)

(

)

40

(

)

)

6

e e,

12

3)

- 3

(3)

12.

(86/15).

()

- ;

-

(

).

).

3

(

).

115.

2.

(

3,

).

-

-

-

-

3,

1,

2,

(

/

-

...

).

-

-

-

-

(

) -

5,

4,

6,

7,

(

8,

9.

/

3

-

3.

3

4)

4

4.

5)

5

5,

6)

6

6.

7)

75. 76.

7

75. 76.

1.

/ /

2.

/ /

3.

/ /

1.

je

2.

-()

3.

- 2

) (

7

4.

5

()

8)

8

7

)- 8.

() ()

K

oj -17/17

3

5%

(

)

9)

B

9

(1

),

(5),

B

(

).

VIII

1: "ATLAS COPCO"				
1	: BT5J "ATLAS COPCO"			
1.1			1	
1.2	2"		1	
1.3			1	
1.4			1	
1.5			1	
1.6			1	
1.7			1	
1.8			1	
1.9	(, , ...)		1	
1.10			1	
1.11	()		1	
1.12) (1	
1.13) (1	
1.14			1	
1.15	- (2) -		1	
1.16	- (2) -		1	
1.17	(6)		1	
1.18	(6)		1	
1.19			1	
1.20			1	
				1:
2	TIP GA 55C-PA13 "ATLAS COPCO"			
2.1	Zamena ulja	kom	1	
2.2	Zamena filtera ulja	kom	1	
2.3	Zamena separatora	kom	1	
2.4	Zamena filtera vazduha	kom	1	
2.5	Zamena zaptivnih elemenata	kom	1	
2.6	Zamena sigurnosnog ventila	kom	1	
2.7	Zamena jednosmernog (nepovratnog) ventila	kom	1	
				2:
1				

2: "TRUDBENIK ENERGOINVEST"				
1	1 NF 2010 "TRUDBENIK ENERGOINVEST"			
1.1	Zamena filtera za vazduh	kom	1	
1.2	Zamena ulja	lit	1	
1.3	Servis komandnog elektroormana	kom	1	
1.4	Zamena sigurnosne sklopke - presostata	kom	1	
1.5	Zamena klinastog remenja	set	1	
1.6	Zamena manometara	kom	1	
1.7	Remont glava kompresora	kom	1	
1.8	Servis ventilatora	kom	1	
1.9	Zamena elektromagnetnog ventila rastere enja	kom	1	
1.10	Zamena sigurnosnih ventila	kom	1	
				1:
2	"TRUDBENIK ENERGOINVEST" Tip KV-12			
2.1	Zamena ventila visokog pritiska	kom	1	
2.2	Zamena ventila niskog pritiska	kom	1	
2.3	Zamena seta manometara	set	1	
2.4	Zamena ulja	lit	1	
2.5	Zamena filtera ulja	kom	1	
				2:
				2
3: SCK 76-13 "ALUP"				
1	SCK 76-13 "ALUP"			
1.1	Zamena ulja	kom	1	
1.2	Zamena filtera ulja	kom	1	
1.3	Zamena separatora	kom	1	
1.4	Zamena filtera vazduha	kom	1	
1.5	Zamena zaptivnih elemenata	kom	1	
1.6	Zamena sigurnosnog ventila	kom	1	
1.7	Zamena jednosmernog (nepovratnog) ventila	Kom	1	
1.8	Zamena semeringa vija nog bloka	kom	1	
1.9	Popravka usisne klapne	kom	1	
				1:
				3

4: "TASK-1022G3-H"				
1	"TASK-1022G3-H"			
1.1	Zamena sigurnosnog ventila	kom	1	
1.2	Zamena zaptivnih elementa	set	1	
1.3	Zamena ulja kompresora	kom	1	
1.4	Zamena filtera ulja kompresora	kom	1	
1.5	Zamena filtera za vazduh	kom	1	
1.6	Zamena uloška separatora	kom	1	
1.7	Zamena ležajeva vijanog sklopa	kom	1	
1.8	Servis vijanog sklopa	kom	1	
1.9	Otklanjanje otkaza poveanjanja temperature u radu	kom	1	
1.10	Zamena creva visokog pritiska	kom	1	
				1:
4				

5: "WORTHINGTON"				
1				
1.1	Zamena filter za vazduh	kom	1	
1.2	Zamena ulja	lit	1	
1.3	Zamena filtera za ulje	kom	1	
1.4	Zamena uloška separatora	kom	1	
1.5	Zamena creva za ulje	set	1	
				1:
5				

	2 4/4
--	----------

--	-------

_____ _____ : (_____)	_____
_____ _____ : (_____)	_____

_____ : (_____)	45
----------------------	----

_____ _____ : (_____)	_____
_____ _____ : (_____)	_____

--	--

- | |
|----|
| |
| 1. |
| 2. |
| 3. |
| 4. |
| 5. |
| 6. |
| 7. |

	3
--	---

1	2	3	4				5	6	7	8	9

	4
--	---

:

-

-

..

:

).

(

	5
--	---

():

		() ⁻	() ⁻
(-):			
(-):			

:

		() ⁻	() ⁻
(-):			
(-):			

: 88.

	6
--	---

B

82. 1. 2.

75. 76.	7 1/2
---------	----------

75. 76. (124/12,14/15 68/15), :

1.

/ /

2.

/ /

3.

/ /

).

. 1., 2. 3.:

1.

2.

e,

3.

(/ /)

75. 76.	7 2/2
---------	----------

1.

- (' ') .

2.

;

3.

2

)

(

. 1., 2. 3.:

1.

:

2.

3. -

7
4. _____ :

()

5

	8
--	---

(„ . . . 104/46 18/58, „ . . . 16/65, 54/70 57/89, „ . . . 46/96) (. . . 139/2014)

:	
:	
:	
:	

29 (:)
 () 5%
 -17/17.

5%
 29,

-
-
-
-

	9
--	---

B

1. _____, (_____) (_____),
 _____ (_____ / _____), (_____),
 _____ (_____)
 (_____)
 (_____)
 (_____)

2. _____, _____ " _____", _____ (_____),

29,

_____ : _____ : _____ (_____) -17/17
 14.03.2017. XIV-__/_ __.__.2017.

1.

2.

a

3.

(_____),

()

4.

4.

XIV-_/__

...2017. :

1: "ATLAS COPCO"				
1	: BT5J "ATLAS COPCO"			
1.1			1	
1.2	2"		1	
1.3			1	
1.4			1	
1.5			1	
1.6			1	
1.7			1	
1.8			1	
1.9	(, , ...)		1	
1.10			1	
1.11	()		1	
1.12) (1	
1.13) (1	
1.14			1	
1.15	- (2)	-	1	
1.16	- (2)	-	1	
1.17	(6)		1	
1.18	(6)		1	
1.19			1	
1.20			1	
2	TIP GA 55C-PA13 "ATLAS COPCO"			
2.1	Zamena ulja	kom	1	
2.2	Zamena filtera ulja	kom	1	
2.3	Zamena separatora	kom	1	
2.4	Zamena filtera vazduha	kom	1	
2.5	Zamena zaptivnih elemenata	kom	1	
2.6	Zamena sigurnosnog ventila	kom	1	
2.7	Zamena jednosmernog (nepovratnog) ventila	kom	1	
1				
(
17 14.03.2017.				

2: "TRUDBENIK ENERGOINVEST"				
1	1 NF 2010 "TRUDBENIK ENERGOINVEST"			
1.1	Zamena filtera za vazduh	kom	1	
1.2	Zamena ulja	lit	1	
1.3	Servis komandnog elektroormana	kom	1	
1.4	Zamena sigurnosne sklopke - presostata	kom	1	
1.5	Zamena klinastog remenja	set	1	
1.6	Zamena manometara	kom	1	
1.7	Remont glava kompresora	kom	1	
1.8	Servis ventilatora	kom	1	
1.9	Zamena elektromagnetnog ventila rastere enja	kom	1	
1.10	Zamena sigurnosnih ventila	kom	1	
2	" TRUDBENIK ENERGOINVEST" Tip KV-12			
2.1	Zamena ventila visokog pritiska	kom	1	
2.2	Zamena ventila niskog pritiska	kom	1	
2.3	Zamena seta manometara	set	1	
2.4	Zamena ulja	lit	1	
2.5	Zamena filtera ulja	kom	1	
2				
(17 14.03.2017.				
3: SCK 76-13 "ALUP"				
1	SCK 76-13 "ALUP"			
1.1	Zamena ulja	kom	1	
1.2	Zamena filtera ulja	kom	1	
1.3	Zamena separatora	kom	1	
1.4	Zamena filtera vazduha	kom	1	
1.5	Zamena zaptivnih elemenata	kom	1	
1.6	Zamena sigurnosnog ventila	kom	1	
1.7	Zamena jednosmernog (nepovratnog) ventila	Kom	1	
1.8	Zamena semeringa vija nog bloka	kom	1	
1.9	Popravka usisne klapne	kom	1	
3				
(17 14.03.2017.				
4: "TASK-1022G3-H"				
1	"TASK-1022G3-H"			
1.1	Zamena sigurnosnog ventila	kom	1	
1.2	Zamena zaptivnih elementa	set	1	
1.3	Zamena ulja kompresora	kom	1	
1.4	Zamena filtera ulja kompresora	kom	1	
1.5	Zamena filtera za vazduh	kom	1	
1.6	Zamena uloška separatora	kom	1	
1.7	Zamena ležajeva vij anog sklopa	kom	1	
1.8	Servis vij anog sklopa	kom	1	
1.9	Otklanjanje otkaza pove anja temperature u radu	kom	1	
1.10	Zamena creva visokog pritiska	kom	1	
4				
(17 14.03.2017.				

5: "WORTHINGTON"				
1				
1.1	Zamena filter za vazduh	kom	1	
1.2	Zamena ulja	lit	1	
1.3	Zamena filtera za ulje	kom	1	
1.4	Zamena uloška separatora	kom	1	
1.5	Zamena creva za ulje	set	1	
5				
(17 14.03.2017.				

17 14.03.2017.

()

5.

3

5% - (- /)

()

10

6.

4.

7.

1 ()

()

1.

()

10%

4.

30

10 ()

1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24. 25. 26. 27. 28. 29. 30.

10%

7. 4.

30

a

()

()

%

10

7

8.

1 ()

1.

()

5%

4.

30

5 %

30

8.

4.

a

()

%

5

7

9.

45

3.

4.

10.

2.

1 %

5%

11.

- e e (_____)
- (_____)

, a 10

12.

5%

13.

14.

15.

16.

5 () 7 ()

2 (),

IX

„ .46/96) („ . „ . 104/46 18/58, „ . „ . 16/65, 54/70 57/89, (. . 139/2014)

- :
- ::
- :
- :
- :

- : JK
- : . 29,
- : 07022662
- : 100049398
- : 105-500122-59

-

0

10 %

30

X

" .46/96) (" . 104/46 18/58, " . " . 16/65, 54/70 57/89,
(. . 139/2014)

:
:
:
:
:
:

: JK
:
: . 29,
: 07022662
: 100049398
: 105-500122-59

_____ 0

_____ 5 %
30

:
