



-324/15

=

=

/

/

—

:

I	3		
II	5		
III	5		
IV	6		
V	8		
VI				
75.	76.			
	.77	9	
VII		13	
VIII		O	22
IX		25	
X				41

K

-324/15

J

29,
: www.gsp.co.rs

55., 57. 60.

68/15)

(

124/12,14/15

29

: 34631000 -

				JM	
1:					
1	34631000 -	309178301	LUK, CEVNI 180° 21.3/27.5 R=1.5D C.1212	kom	290
2	34631000 -	112148001	ZAVRTANJ, CELICNI 6.3X25	kom	1000
3	34631000 -	217075201	PRIKLJUCAK, PRAVI 3/8" ZA CREVO 12 ZA SPIRALU BKM32100S	kom	110
2:					
1	34631000 -	223158101	SEGMENT,KOCN.OTPORN.3 /10 SPIRALA/30KRUG.BKM	kom	5
3: - 32100					
1	34631000 -	250863001	SENZOR, ABS PREDNJI BKM32100S	kom	10
4:					
1	34631000 -	250871001	PIROPATRON, PROTIVPOZARNI (BOR 6) BKM32100S	kom	2
2	34631000 -	250872901	SENZOR, PROTIVPOZARNI BKM32100S	kom	2
3	34631000 -	250972501	SENZOR, PROTIVPOZARNI BKM32100S	kom	5
4	34631000 -	250870201	JEDINICA UPRAVLJACKA PROTIVPOZARNA 12.5- 24 -5	kom	3

(. 75.)

(. 76.)

77. 1.

29, 11000

a www.gsp.co.rs.

.),

011/366-4087

324/15",

29, 11000
e-mail milena.martinovic@gsp.co.rs,

07 15

7-16

3

«

) –

..... (22.12.2015.
-324/15».

10,00

e-mail).

22.12.2015.
29, 11000

09,30

29, 11000

22.12.2015.

10,00

/

(

...)

.)

25

30

II

1.

" " :
 : 29,
 : www.gsp.co.rs : SR100049398
 : 07022662
 : 4931

2.

32.

3.

4.

5.

6.

: milena.martinovic@gsp.co.rs,

III

34631000 - () :

				JM	
1:					
1	34631000 -	309178301	LUK, CEVNI 180° 21.3/27.5 R=1.5D C.1212	kom	290
2	34631000 -	112148001	ZAVRTANJ, CELICNI 6.3X25	kom	1000
3	34631000 -	217075201	PRIKLJUCAK, PRAVI 3/8" ZA CREVO 12 ZA SPIRALU BKM32100S	kom	110
2:					
1	34631000 -	223158101	SEGMENT,KOČN.OTPORN.3 /10 SPIRALA/30KRUG.BKM	kom	5
3: - 32100					
1	34631000 -	250863001	SENZOR, ABS PREDNJI BKM32100S	kom	10
4:					
1	34631000 -	250871001	PIROPATRON, PROTIVPOZARNI (BOR 6) BKM32100S	kom	2
2	34631000 -	250872901	SENZOR, PROTIVPOZARNI BKM32100S	kom	2
3	34631000 -	250972501	SENZOR, PROTIVPOZARNI BKM32100S	kom	5
4	34631000 -	250870201	JEDINICA UPRAVLJACKA PROTIVPOZARNA 12.5- 24 -5	kom	3

IV

1)

				JM	
1	309178301	LUK, CEVNI 180° 21.3/27.5 R=1.5D C.1212		kom	290
2	112148001	ZAVRTANJ, CELICNI 6.3X25	SRPS ISO 1481	kom	1000
3	217075201	PRIKLJUČAK, PRAVI 3/8" ZA CREVO 12 ZA SPIRALU BKM32100S	AIGNEP 50000 12-3/8"	kom	110

2)

				JM	
1	223158101	SEGMENT, KOČN. OTPORN. 3 /10SPIRAL A/30KRUG. BKM	AKSM33304S-729000.001 /		5

3)

32100

				JM	
1	250863001	SENZOR, ABS PREDNJI BKM32100S	Knorr brems 0 486 000 128 Knorr brems 0 486 000 136	kom	10

4)

				JM	
1	250871001	PIROPATRON, PROTIVPOZARNI (BOR 6) BKM32100S	6/ 190050045.00	kom	2
2	250872901	SENZOR, PROTIVPOZARNI BKM32100S	634239.0802	kom	2
3	250972501	SENZOR, PROTIVPOZARNI BKM32100S	634239.0801	kom	5
4	250870201	JEDINICA UPRAVLJACKA PROTIVPOZARNA 12.5-24 -5	12.5-24 -5	kom	3

2:

333,

.29.

: 064/ 838 16 11

4:

12

1

30

90

V

: _____

: _____

: _____

5

_____ () :

-324/15 :

...			
1			
2			
3			
4			
5			
...			

20

:

_____ (_____)

()

:

(22.12.2015.)

3

VI

75. 76.

. 77.

75.)

(. 77. ,

1. je / /

2. / / / / / /

3. / /

()

- 2. 3. 22.10.2015.

2 () :

78. 5. (. 124/12, 14/15 68/15),
 75. 1. 1,2 4 .

1. / /

e,

e,

2. / /

- 1. 2. 2 ()
 22.10.2015.

76.) (.

1. :

). - (

2.

5% (6)
 - ()
 ().

),

(

-
-
-

. 18.2.

-

(

5%

-
-
-

. 18.2.

-

3. _____ 3 4:

3 4

1.

/

32100S.

/

2.

5

32100S,

/

)

;

(

:

(22.12.2015.)

3

_____ ()

e e

4. 3 4

$$\begin{aligned} & (\quad) - \quad 3 \quad 4 (\quad) - \quad 9 \\ & \underline{\hspace{10em}} \\ & \underline{\hspace{10em}} \quad 3 \quad 4 \\ & \underline{\hspace{10em}} \quad 9 \\ & \underline{\hspace{10em}} \end{aligned}$$

5. 1 (3):
3 1

): (

VI.

78. 5. (124/12, 14/15 68/15),

77. 1. 1, 2 4 75. 1. 1,
2 4

), (. 77

5

75. 76.

79. 3.

VII

1.

1.1.

(. 75. 76.),
77.

1.2.

. 77.

1.3.

. 75. 76.

1.4.

. 79. . 3.

1.5.

124/12,14/15 78. 68/15),

5.

(

1, 2 4

75. 1.

1.6.

1.7.

1.8.

. 77.

1.9.

1.

50%,

1.10.

1.11.

75. (1, 2 4).

1.12.

4)

5.

77. 1. (1, 2

1.13.

10 %

75. 1. 5.

1.14.

1.15.

1.16.

(1)
 75. 1. 1, 2 4
 76.
 77 75. 1. 5.

1.17.

1)

2)

1.18.

1.19.

1.20.

1.21.

2.

2.1.

2.2.

2.3.

63. 2.

4087
 milena.martinovic@gsp.co.rs

5 ()
 29, 11000
 « -324/15»,

+381 11 366
 e-mail

2.4.

2.5.

2.6.

3.

3.1.

3.2.

(

e)

3.3.

4.

4.1.

4.2.

4.3.

4.4.

4.5.

(.4.4),

87.

5.

4.6.

-324/15".

-324/15".

4.7.

).

(

5.

5.1.

5.2.

5

6.

6.1.

(

.)

7.

7.1.

7.2.

7.3.

8.

8.1.

. 93.

1.

()

8.2.

8.3.

8.4.

8.5.

9.

9.1.

92.

1.

9.2.

92.

3.

9.3.

9.2

5

9.4.

10.

10.1.

(2

-

_____);

I. 2

),

(

II.

(

)

III.

().

11.

11.1.

- (1)
- (2)
- (3)
- (4)
- (5)

11.2.

11.3.

- (6)
- (7)
- (8)
- (9)
- (10)

)

11.4.

11.5.

11.6.

12.

12.1.

12.2.

13.

13.1.

(:

13.2.

13.3.

63. 2.

13.4.

13.5.

od
40

13.6.

149. 3. 4.

13.7.

13.8.

13.9.

36. 1. 3)

13.10.

13.11.

13.9.

13.12.

151.

13.13.

151.

1.,

13.14.

151. 2.

13.15.

156.

: 840-30678845-06

- 120.000,00

120.000.000,00 ;

- 0,1 %

120.000.000,00

: 153

253;

: -324/15;

-324/15;

13.16.

<http://www.kjn.gov.rs/ci/uputstvo-o-uplati-republicke-administrativne-takse.html>.

14.

14.1.

5 %

. 86.

4.

14.2.

14.3.

14.4.

(. . . 33/2013).

15.

15.1.

75. 76.

15.2.

()

15.3.

15.4.

15.5.

15.6.

15.7.

15.8.

15.9.

15.10.

16.

16.1.

16.2.

(

)

16.3.

(

),

a

16.4.

17.

17.1.

17.2.

17.3.

17.4.

17.5.

18.

18.1.

18.2.

18.3.

-
-
-
-
-

. 36. 1. . 3)

. 39. 6.

18.4.

2.

112.

18.5.

18.2.,

18.6.

. 18.2.,

19.

19.1.

19.2.

19.3.

K

-324/15

19.4.

5%

3

()

x

19.5.

19.6.

20.

20.1.

68/15),

82.

(

124/12,14/15

1)

2)

3)

4)

20.2.

1)

2)

3)

4)

5)

6)

7)

20.3.

(

21.2.

2. 1)

)

21.

21.1.

(,)

29, 11000

+381 11 366-

4087.

22.

22.1.

5%

5.000.000,00

10.000.000,00

22.2.

22.3.

22.4.

23.
23.1.

x

23.2.

23.3.

**10%

()

10%

()

)

(

VIII

O

1-8

1)

$\frac{1}{x^2} = x^{-2}$
 $\frac{d}{dx} x^{-2} = -2x^{-3} = -\frac{2}{x^3}$

$\frac{d}{dx} \left(\frac{1}{x^2} \right) = -\frac{2}{x^3}$
 $\frac{d}{dx} \left(\frac{1}{x^2} \right) = -\frac{2}{x^3}$
 $\frac{d}{dx} \left(\frac{1}{x^2} \right) = -\frac{2}{x^3}$

1.

2.

2)

$\frac{d}{dx} x^2 = 2x$
 $\frac{d}{dx} x^2 = 2x$
 $\frac{d}{dx} x^2 = 2x$

)

)

)

1 30
 2, 3 4 90

-) ()
30 ()
-)
- 12
- 3) - 3 (3) 12.
- (3 (86/15).
3)
115. 1. (3,
-)
- : 1,
- - 2,
- - 3, ()
- ...)
- () - 4,
- - 5,
- () - 6, 7,
- - 8,
- - 9,
- 3
- 3 - 3.
- 4) - 4
- 4,
- 4
- 5) - 5
- 5.

6)

6

() - 6

()

() ()

()

5% ()

7)

7

7.

()

7

8)

B

8

(1)

9)

3 4 (

)- 9

9

9.

3 4

9

(4),
B

()

IX

/ /	1
-----	---

(, ,)	
/	
(, , ...)	-
(,)	
...),	
(,)	
(,)	
(1	
:	

	2 1/3
--	----------

1)

				JM					
1	309178301	LUK, CEVNI 180° 21.3/27.5 R=1.5D C.1212		kom	290				
2	112148001	ZAVRTANJ, CELICNI 6.3X25	SRPS ISO 1481	kom	1000				
3	217075201	PRIKLJUČAK, PRAVI 3/8" ZA CREVO 12 ZA SPIRALU BKM32100S	AIGNEP 50000 12-3/8"	kom	110				
1 -									

2)

				JM					
1	223158101	SEGMENT,KOČN.OTPOR N.3 /10SPIRALA/30KRU G.BKM	AKSM33304S- 729000.001		5				
2 -									

3)

32100

				JM					
1	250863001	SENZOR, ABS PREDNJI BKM32100S	Knorr brems 0 486 000 128 Knorr brems 0 486 000 136	kom	10				
3 -									

	2 2/3
--	----------

4)

				JM					
1	250871001	PIROPATRON, PROTIVPOZARNI (BOR 6) BKM32100S	6/ 190050045.00	kom	2				
2	250872901	SENZOR, PROTIVPOZARNI BKM32100S	634239.0802	kom	2				
3	250972501	SENZOR, PROTIVPOZARNI BKM32100S	634239.0801	kom	5				
4	250870201	JEDINICA UPRAVLJACKA PROTIVPOZARNA 12.5-24 -5	12.5-24 -5	kom	3				
4									

	2 3/3
--	----------

_____:	_____
--------	-------

(_____ 1 _____):	_____
(_____ 2, 3 4 _____):	_____

(_____):	_____
------------	-------

(_____):	_____
------------	-------

_____:	
--------	--

2.

1.
2.
3.
4.
5.
6.
7.

	3
--	---

1	2	3	4				5	6	7	8	9

	4
--	---

():

		() ⁻	() ⁻
(-):			
(-):			

:

		() ⁻	() ⁻
(-):			
(-):			

: 88.

	5
--	---

B

82. 1. 2.

-	6
---	---

1, 2 6

:	
:	
:	
:	

29 (:)
 () 5% (:
) :

-324/15.

5%

29,

	7
--	---

-

-

(

).

	8
--	---

B

1. _____, (_____),
_____ (_____ / _____), (_____)
(_____ : _____), (_____)

..... (_____)
..... (_____)
..... (_____)

2. _____ 29, _____ " _____", _____ :
(_____)

_____ : _____ : _____ , _____ ,
(_____ : _____),
-324/15 04.12.2015. _____ / _____
_____.2015.

1.

(_____ : _____),

2.

(_____), _____ :

- 1
- 2, 3 4 _____

4. _____ 15 %

3.

_____ :

_____ (_____), _____ (_____)
_____ (_____ , _____ , _____) ... (_____)

2:

•

•

()

4.

/ .2015. :

1)

				JM					
1	309178301	LUK, CEVNI 180° 21.3/27.5 R=1.5D C.1212		kom	290				
2	112148001	ZAVRTANJ, CELICNI 6.3X25	SRPS ISO 1481	kom	1000				
3	217075201	PRIKLJUCAK, PRAVI 3/8" ZA CREVO 12 ZA SPIRALU BKM32100S	AIGNEP 50000 12- 3/8"	kom	110				
1 -									

2)

				JM					
1	223158101	SEGMENT,KOCN.OTPOR N.3 /10SPIRALA/30KRU G.BKM	AKSM33304S- 729000.001		5				
2 -									

3)

32100

				JM					
1	250863001	SENZOR, ABS PREDNJI BKM32100S	Knorr brems 0 486 000 128 Knorr brems 0 486 000 136	kom	10				
3 -									

4)

				JM					
1	250871001	PIROPATRON, PROTIVPOZARNI (BOR 6) BKM32100S	6/ 190050045.00	kom	2				
2	250872901	SENZOR, PROTIVPOZARNI BKM32100S	634239.0802	kom	2				
3	250972501	SENZOR, PROTIVPOZARNI BKM32100S	634239.0801	kom	5				
4	250870201	JEDINICA UPRAVLJACKA PROTIVPOZARNA 12.5-24 -5	12.5-24 -5	kom	3				
4									

_____ , (: _____)
 (: _____)

e

5.
3

5%

(- /)
 (x / =)
).

10

6.

1 ()

()

1.

()

10%

4.

()

10 ()

5

10

10%

10%

5

6.

5.

6.

5.

//

()

),

(

10%

7

7.

8.

2.

1 %

5%

K

9.

(_____)

(_____)

5

10

5

30 (

1)

90

(2, 3 4)

29.

10.

()

a

11.

5%

12.

13.

14.

15.

5 () 7 ()

2 ()

<p style="text-align: center;">- 3 4 (_____) _____ _____)</p>	9
---	---

: _____

_____ ,

_____ (_____)

X

(. 104/46, . 16/65, 54/70 57/89, .
 .46/96), (" " . 3/2002), (. 29/02 30/02)
 .34/02, . 43/04)

: _____
 : _____
 : _____
 : _____
 : _____

: JK " "
 : . 29,
 : 07022662
 : 100049398
 : 105-500122-59

0

:
